

New England Biolabs Certificate of Analysis

Product Name: NEBNext® Ultra™ II RNA Library Prep Kit for Illumina®
 Catalog Number: E7770L
 Packaging Lot Number: 10183818
 Expiration Date: 10/2024
 Storage Temperature: -20°C
 Specification Version: PS-E7770S/L v2.0

NEBNext® Ultra™ II RNA Library Prep Kit for Illumina® Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7764AAVIAL	Nuclease-free Water	10183830	Pass
E7763AAVIAL	0.1X TE	10183838	Pass
E7762AAVIAL	NEBNext® Adaptor Dilution Buffer	10183837	Pass
E7761AAVIAL	NEBNext® First Strand Synthesis Enzyme Mix	10183835	Pass
E7649AAVIAL	NEBNext® Ultra™ II Q5® Master Mix	10183834	Pass
E7648AAVIAL	NEBNext® Ultra™ II Ligation Master Mix	10183833	Pass
E7647AAVIAL	NEBNext® Ultra™ II End Prep Reaction Buffer	10183832	Pass
E7646AAVIAL	NEBNext® Ultra™ II End Prep Enzyme Mix	10183831	Pass
E7427AAVIAL	NEBNext® Second Strand Synthesis Reaction Buffer, 10X	10183829	Pass
E7425AAVIAL	NEBNext® Second Strand Synthesis Enzyme Mix	10183828	Pass
E7422AAVIAL	Random Primers	10183827	Pass
E7421AAVIAL	NEBNext® First Strand Synthesis Reaction Buffer	10183825	Pass
E7374AAVIAL	NEBNext® Ligation Enhancer	10183823	Pass

Assay Name/Specification	Lot # 10183818
<p>* Individual Product Component Note Standard Quality Control Tests are performed for each component included in NEBNext® Ultra™ II RNA Library Prep Kit for Illumina® and meet the designated specifications.</p>	Pass
<p>Functional Testing (Library Construction, RNA) Each set of reagents is functionally validated and compared to the previous lot through construction of libraries made from commercially available RNA, using the kit's minimum and maximum input requirements. Libraries made from the previous and current lots for both input RNA amounts are sequenced together on the same Illumina flow cell and compared across various metrics including library yield, individual transcript abundance correlations (low vs. high input, old lot vs. new lot), 5'-3'</p>	Pass


Assay Name/Specification	Lot # 10183818
transcript coverage, and fraction of reads mapping to a reference.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Christine Sumner
Production Scientist
25 May 2023



Michael Tonello
Packaging Quality Control Inspector
24 Aug 2023