

## New England Biolabs Certificate of Analysis

**Product Name:** Hpy166II  
**Catalog Number:** R0616S  
**Concentration:** 10,000 U/ml  
**Unit Definition:** One unit is defined as the amount of enzyme required to digest 1 ·g of pBR322 in 1 hour at 37°C in total reaction volume of 50 ·l.  
**Packaging Lot Number:** 10119288  
**Expiration Date:** 08/2023  
**Storage Temperature:** -20°C  
**Storage Conditions:** 250 mM NaCl, 10 mM Tris-HCl (pH 7.4), 1 mM DTT, 0.1 mM EDTA, 50% Glycerol, 0.15% Triton X-100, 200 µg/ml BSA  
**Specification Version:** PS-R0616S/L v1.0

Hpy166II Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
R0616SVIAL	Hpy166II	10119287	Pass
B6004SVIAL	rCutSmart™ Buffer	10121395	Pass

Assay Name/Specification	Lot # 10119288
<b>Protein Purity Assay (SDS-PAGE)</b> Hpy166II is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	Pass
<b>Non-Specific DNase Activity (16 Hour)</b> A 50 µl reaction in CutSmart™ Buffer containing 1 µg of pBR322 DNA and a minimum of 50 units of Hpy166II incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
<b>Ligation and Recutting (Terminal Integrity)</b> After a 10-fold over-digestion of pBR322 DNA with Hpy166II, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with Hpy166II.	Pass
<b>Exonuclease Activity (Radioactivity Release)</b> A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [ <sup>3</sup> H] E. coli DNA and a minimum of 30 units of Hpy166II incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass

This product has been tested and shown to be in compliance with all specifications.



One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit [www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



Pengda Zhang  
Production Scientist  
04 Oct 2021



Michael Tonello  
Packaging Quality Control Inspector  
04 Oct 2021