

New England Biolabs Certificate of Analysis

Product Name: DralIII-HF[®]
Catalog Number: R3510S
Concentration: 20,000 U/ml
Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg of Lambda DNA in 1 hour at 37°C in a total reaction volume of 50 µl.
Lot Number: 10011444
Expiration Date: 05/2020
Storage Temperature: -20°C
Storage Conditions: 20 mM Tris-HCl, 300 mM NaCl, 1 mM Dithiothreitol, 0.1 mM EDTA, 200 µg/ml BSA, 50% Glycerol, pH 7.4 @ 25°C
Specification Version: PS-R3510S/L v1.0

DralIII-HF [®] Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
R3510SVIAL	DralIII-HF [®]	0031805	Pass
B7204SVIAL	CutSmart [®] Buffer	3071804	Pass
B7024SVIAL	Gel Loading Dye, Purple (6X)	0241804	Pass

Assay Name/Specification	Lot # 10011444
Protein Purity Assay (SDS-PAGE) DralIII-HF [™] is >95% pure as determined by SDS PAGE analysis using Coomassie Blue detection.	Pass
Exonuclease Activity (Radioactivity Release) A 50 µl reaction in CutSmart [™] Buffer containing 1 µg of a mixture of single and double-stranded [³ H] E. coli DNA and a minimum of 200 units of DralIII-HF [™] incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Non-Specific DNase Activity (16 Hour) A 50 µl reaction in CutSmart [™] Buffer containing 1 µg of Lambda DNA and a minimum of 20 Units of DralIII-HF [™] incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.	Pass
Ligation and Recutting (Terminal Integrity) After a 10-fold over-digestion of Lambda DNA with DralIII-HF [™] , ~75% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with DralIII-HF [™] .	Pass

This product has been tested and shown to be in compliance with all specifications.



Anthony Francis
Production Scientist
07 Jun 2018



Michael Tonello
Packaging Quality Control Inspector
07 Jun 2018