


New England Biolabs Certificate of Analysis

Product Name: *beta-Nicotinamide adenine dinucleotide (NAD⁺)*
 Catalog Number: *B9007S*
 Concentration: *50 mM*
 Lot Number: *10026023*
 Expiration Date: *03/2020*
 Storage Temperature: *-20°C*
 Specification Version: *PS-B9007S v1.0*
 Composition (1X): *NAD⁺ is supplied as an aqueous 50 mM solution*

beta-Nicotinamide adenine dinucleotide (NAD ⁺) Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
B9007SVIAL	β-Nicotinamide adenine dinucleotide (NAD ⁺)	0171803	Pass

Assay Name/Specification	Lot # 10026023
PCR Amplification (1 kb, PreCR[®]) A 48 µl reaction in ThermoPol [®] Reaction Buffer containing 1.5 ng of UV damaged Lambda DNA, 100 µM dNTPs, 500 µM NAD ⁺ and 1 µl of the PreCR [®] Repair Mix was incubated for 15 minutes at 37°C. Addition of 100 µM dNTPs, 0.4 µM L1 primer mix and 2.5 units of Taq DNA Polymerase followed by 25 cycles of PCR resulted in the expected 1 kb specific product.	Pass

This product has been tested and shown to be in compliance with all specifications.



Lauren Higgins
Production Scientist
16 Oct 2018



Michael Tonello
Packaging Quality Control Inspector
16 Oct 2018