

New England Biolabs Certificate of Analysis

Product Name: NEBNext® Ultra™ II RNA Library Prep Kit for Illumina®
 Catalog Number: E7770S
 Packaging Lot Number: 10146503
 Expiration Date: 07/2023
 Storage Temperature: -20°C
 Specification Version: PS-E7770S/L v2.0

NEBNext® Ultra™ II RNA Library Prep Kit for Illumina® Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
E7764AVIAL	Nuclease-free Water	10146512	Pass
E7763AVIAL	0.1X TE	10146520	Pass
E7762AVIAL	NEBNext® Adaptor Dilution Buffer	10146518	Pass
E7761AVIAL	NEBNext® First Strand Synthesis Enzyme Mix	10146517	Pass
E7649AVIAL	NEBNext® Ultra™ II Q5® Master Mix	10146516	Pass
E7648AVIAL	NEBNext® Ultra™ II Ligation Master Mix	10146515	Pass
E7647AVIAL	NEBNext® Ultra™ II End Prep Reaction Buffer	10146514	Pass
E7646AVIAL	NEBNext® Ultra™ II End Prep Enzyme Mix	10146513	Pass
E7427AVIAL	NEBNext® Second Strand Synthesis Reaction Buffer, 10X	10146511	Pass
E7425AVIAL	NEBNext® Second Strand Synthesis Enzyme Mix	10146510	Pass
E7422AVIAL	Random Primers	10146509	Pass
E7421AVIAL	NEBNext® First Strand Synthesis Reaction Buffer	10146508	Pass
E7374AVIAL	NEBNext® Ligation Enhancer	10146507	Pass

Assay Name/Specification	Lot # 10146503
Functional Testing (Library Construction, RNA) Each set of reagents is functionally validated and compared to the previous lot through construction of libraries made from commercially available RNA, using the kit's minimum and maximum input requirements. Libraries made from the previous and current lots for both input RNA amounts are sequenced together on the same Illumina flow cell and compared across various metrics including library yield, individual transcript abundance correlations (low vs. high input, old lot vs. new lot), 5'-3' transcript coverage, and fraction of reads mapping to a reference.	Pass
* Individual Product Component Note Standard Quality Control Tests are performed for each component included in NEBNext®	Pass

Assay Name/Specification	Lot # 10146503
Ultra™ II RNA Library Prep Kit for Illumina® and meet the designated specifications.	

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.



Christine Sumner
Production Scientist
02 Jun 2022



Josh Hersey
Packaging Quality Control Inspector
13 Oct 2022