

New England Biolabs Product Specification

Product Name: NEBuffer™ 2.1
Catalog #: B7202S
Concentration: 10X Concentrate
Shelf Life: 36 months
Storage Temp: -20°C
Composition (1X): 50 mM NaCl, 10 mM Tris-HCl, 10 mM MgCl₂, 100 µg/ml BSA, (pH 7.9 @ 25°C)
Specification Version: PS-B7202S v1.0
Effective Date: 14 Sep 2017

Assay Name/Specification (minimum release criteria)

Conductivity (buffers/solutions) - The conductivity of 10X NEBuffer 2.1 is between 55 and 62 mS at 25°C.

Endonuclease Activity (Nicking, Buffer) - A 50 µl reaction in 1X NEBuffer 2.1 containing 1 µg of supercoiled PhiX174 DNA incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.

Functional Testing (Restriction Digest, Buffer) - A 50 µl reaction in 1X NEBuffer 2.1 containing 1 µg of Lambda DNA and 1 unit of HindIII incubated for 1 hour at 37°C results in complete digestion of the substrate DNA as determined by agarose gel electrophoresis.

Functional Testing (Restriction Digest, Buffer) - A 50 µl reaction in 1X NEBuffer 2.1 containing 1 µg of Lambda DNA and 1 unit of SphI incubated for 1 hour at 37°C results in complete digestion of the substrate DNA as determined by agarose gel electrophoresis.

Non-Specific DNase Activity (16 hour, Buffer) - A 50 µl reaction in 1X NEBuffer 2.1 containing 1 µg of PhiX174-HaeIII DNA incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis.

pH (buffers/solutions) - The pH of 10X NEBuffer 2.1 is between pH 7.8 and 8.0 at 25°C.

RNase Activity (Buffer) - A 10 µl reaction in 1X NEBuffer 2.1 containing 40 ng of a 300 base single-stranded RNA is incubated at 37°C. After incubation for 16 hours, >90% of the substrate RNA remains intact as determined by fluorescent detection.

* The BSA in this product has been granted an EDQM "Certificate of Suitability" from the European Directorate for the Quality of Medicines (# R1-CEP-2003-204-Rev00) and has been granted a USDA Certificate for Export of Bovine Blood Plasma/Serum for Manufacture into Pharmaceutical Products.



Date 14 Sep 2017

Derek Robinson
Director of Quality Control

